





PERFIS VIDRO CURVO VIPEL


Catálogo Técnico

LINHA PERFIS VIDRO CURVO VIPEL



LINHA PERFIS VIDRO CURVO VIPEL






CS-001

Suporte do Vidro e Calha


Peso (Kg/m)	Superfície (mm ² /mm)		Inércia (mm ² /mm)	
	Área	Perímetro	Jx mm ⁴	Jy mm ⁴
1.927	713.47	467.63	342695.44	1178063.00




CS-002

Base da Calha

Peso (Kg/m)	Superfície (mm ² /mm)		Inércia (mm ² /mm)	
	Área	Perímetro	Jx mm ⁴	Jy mm ⁴
1.803	667.56	343.08	21541.49	834450.72



CS-003	Suporte Articulado do Vidro e Calha				
	Peso (Kg/m)	Superfície (mm ² /mm)		Inércia (mm ² /mm)	
		Área	Perímetro	Jx mm ⁴	Jy mm ⁴
	1.736	645.87	447.96	284541.95	1001875.12



CS-004	Base Articulada do Vidro				
	Peso (Kg/m)	Superfície (mm ² /mm)		Inércia (mm ² /mm)	
		Área	Perímetro	Jx mm ⁴	Jy mm ⁴
	0,393	145.54	138.81	2485.72	15250.42

